



ODIN® BATH COLLECTION

Addition meets subtraction.

Minimalist? Maximalist? Yes. The Odin Bath Collection by Brizo® pairs a clean, Scandinavian design with a wealth of leading-edge technologies—including optional SmartTouch^{Plus}™ Technology—allowing for both hands-free and touch-sensitive operation.



AVAILABLE FINISHES:



POLISHED
CHROME
(PC)



MATTE BLACK
(BL)*



BRILLIANCE®
BRUSHED NICKEL
(BN)



BRILLIANCE®
LUXE
GOLD® (GL)

*Jason Wu for Brizo™



NEW


HANDLE ACCENT:
WOOD (WD)

Available Q4 2020

LAVATORY FAUCETS





ITEM	ITEM NO.	PRICE	DESCRIPTION
 WIDESPREAD LAVATORY FAUCET	1.5 GPM MODELS		<ul style="list-style-type: none"> ▪ Hidden water-efficient, laminar flow aerator ▪ 3-hole installation ▪ Overall height = 9", spout outlet to deck = 6 1/8", spout reach = 4 3/4" ▪ Accommodates up to 2" deck thickness ▪ Ceramic cartridge ▪ 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa ▪ ECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa ▪ MUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available
	65375LF-PC	585.00	
	65375LF-BN	814.00	
	65375LF-GL	844.00	
	1.2 GPM MODELS		
	65375LF-PC-ECO	551.00	
	65375LF-BN-ECO	773.00	
	65375LF-GL-ECO	828.00	

Obsolete Q4 2020


 WIDESPREAD LAVATORY FAUCET - LESS HANDLES	1.5 GPM MODELS		<ul style="list-style-type: none"> ▪ Hidden water-efficient, laminar flow aerator ▪ 3-hole installation ▪ Overall height = 9", spout outlet to deck = 6 1/8", spout reach = 4 3/4" ▪ Accommodates up to 3" deck thickness ▪ Ceramic cartridge ▪ MUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available ▪ 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa ▪ ECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa ▪ MUST ORDER HANDLES SEPARATELY
	65375LF-PCLHP	465.00	
	65375LF-BNLHP	651.00	
	65375LF-GLLHP	674.00	
	1.2 GPM MODELS		
	65375LF-PCLHP-ECO	431.00	
	65375LF-BNLHP-ECO	604.00	
	65375LF-GLLHP-ECO	625.00	

Available Q4 2020

HANDLE KITS: WIDESPREAD LAVATORY






ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
 LOW LEVER	HL5373-PC	120.00	 HIGH LEVER	HL5375-PC	120.00	<ul style="list-style-type: none"> ▪ WD = Guyana Teak Wood ▪ Handles are ADA compliant ▪ Model number = one pair of handles for LHP models
	HL5373-BN	168.00		HL5375-BN	168.00	
	HL5373-GL	174.00		HL5375-GL	174.00	
	Available Q4 2020			Available Q4 2020		
 LOW CROSS	HX5373-PC	150.00	 HIGH CROSS	HX5375-PC	150.00	
	HX5373-PCWD	180.00		HX5375-PCWD	180.00	
	HX5373-BN	210.00		HX5375-BN	210.00	
	HX5373-GL	218.00		HX5375-GL	218.00	
	HX5373-BNWD	252.00		HX5375-BNWD	252.00	
	HX5373-GLWD	261.00		HX5375-GLWD	261.00	
Available Q4 2020			Available Q4 2020			

LAVATORY FAUCETS (continued)



ITEM	ITEM NO.	PRICE	DESCRIPTION
 ELECTRONIC SINGLE-HOLE LAVATORY FAUCET	1.5 GPM MODELS		<ul style="list-style-type: none"> ▪ SmartTouch^{Plus} Technology with TempID[®] feature – touch or hands-free water activation with temperature indicating LED light ▪ TempIQ[®] Temperature Sensing Technology (features • EPV[®] Electronic Thermostatic Valve • Temperature Sensing LED Display • High Temperature Limit Stop) ▪ Pivoting handle motion ▪ Hidden water-efficient, laminar flow aerator ▪ 1-hole installation ▪ Overall height = 9 1/8", spout outlet to deck = 6", spout reach = 4 3/4" ▪ Includes optional base that must be used with metal sinks ▪ Accommodates up to 2 1/2" deck thickness with base, 3" without base ▪ 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa ▪ ECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa ▪ MUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available (NOTE: In order for faucet to function as intended, must use plastic tail piece included with the drain)
	65675LF-PC	830.00	
	65675LF-BN	1024.00	
	65675LF-GL	1190.00	
	1.2 GPM MODELS		
	65675LF-PC-ECO	788.00	
	65675LF-BN-ECO	977.00	
	65675LF-GL-ECO	1174.00	

ODIN[®]











LAVATORY FAUCETS (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION			
 SINGLE-HANDLE LAVATORY FAUCET	1.5 GPM MODELS		<ul style="list-style-type: none">Hidden water-efficient, laminar flow aerator1-hole installationOverall height = 8 11/16" with handle up, spout outlet to deck = 5 5/8, spout reach = 5 1/4"Accommodates up to 3" deck thicknessCeramic cartridgeOptional red/blue temperature indicating glide ring1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPaECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPaMUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available			
	65175LF-PC	494.00				
	65175LF-BN	686.00				
	65175LF-GL	708.00				
	1.2 GPM MODELS					
	65175LF-PC-ECO	476.00				
	65175LF-BN-ECO	669.00				
	65175LF-GL-ECO	691.00				
	Obsolete Q4 2020					
	 TWO-HANDLE WALL MOUNT LAVATORY FAUCET	1.5 GPM MODELS			<ul style="list-style-type: none">Hidden water-efficient, laminar flow aerator3-hole installationSpout reach = 8 1/2"; adjustable rough (2 1/8" - 3 1/4")Ceramic cartridgeRough and trim included1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPaECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPaMUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available	
65875LF-PC		643.00				
65875LF-BN		897.00				
65875LF-GL		926.00				
1.2 GPM MODELS						
65875LF-PC-ECO		607.00				
65875LF-BN-ECO		853.00				
65875LF-GL-ECO		909.00				
Obsolete Q4 2020						
 TWO-HANDLE WALL MOUNT LAVATORY FAUCET - LESS HANDLES		TRIM ONLY		<ul style="list-style-type: none">Hidden water-efficient, laminar flow aerator3-hole wall mount installationSpout reach = 8 1/2"Ceramic cartridgeMUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPaECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPaMUST ORDER ROUGH SEPARATELYMUST ORDER HANDLES SEPARATELY		
	1.5 GPM MODELS					
	T65875LF-PCLHP	272.00				
	T65875LF-BNLHP	381.00				
	T65875LF-GLLHP	395.00				
	1.2 GPM MODELS					
	T65875LF-PCLHP-ECO	236.00				
	T65875LF-BNLHP-ECO	331.00				
	T65875LF-GLLHP-ECO	343.00				
	Available Q4 2020					
	Available Q4 2020					

HANDLE KITS: WALL MOUNT LAVATORY FAUCETS

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
 LEVER	HL5875-PC	160.00	 CROSS	HX5875-PC	190.00	<ul style="list-style-type: none"> WD = Guyana Teak Wood Handles are ADA compliant Model number = one pair of handles for LHP models
	HL5875-BN	224.00		HX5875-PCWD	220.00	
	HL5875-GL	232.00		HX5875-BN	266.00	
				HX5875-GL	276.00	
				HX5875-BNWD	308.00	
				HX5875-GLWD	319.00	
Available Q4 2020			Available Q4 2020			

ACCESSORIES (for coordinating ADA Grab Bars, see pages 312-314)









ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE
	691875-PC	144.00		696075-PC	85.00
	691875-BL	189.00		696075-BL	112.00
	691875-BN	202.00		696075-BN	120.00
	691875-GL	209.00		696075-GL	124.00
18" TOWEL BAR			FRONT MOUNT FLUSH LEVER		
	692475-PC	161.00		696275-PC	85.00
	692475-BL	211.00		696275-BL	112.00
	692475-BN	226.00		696275-BN	120.00
	692475-GL	234.00		696275-GL	124.00
24" TOWEL BAR			SIDE MOUNT FLUSH LEVER		
	695075-PC	124.00		697075-PC	226.00
	695075-BL	163.00		697075-BL	295.00
	695075-BN	174.00		697075-BN	317.00
	695075-GL	181.00		697075-GL	328.00
TISSUE HOLDER WITH REMOVABLE COVER			SINGLE LIGHT SCONCE		
	694675-PC	112.00		699175-PC	18.00
	694675-BL	146.00		699175-BL	20.00
	694675-BN	157.00		699175-BN	20.00
	694675-GL	161.00		699175-GL	22.00
TOWEL RING			DRAWER PULL		
	693575-PC	53.00		699275-PC	12.00
	693575-BL	71.00		699275-BL	14.00
	693575-BN	75.00		699275-BN	14.00
	693575-GL	77.00		699275-GL	15.00
SINGLE ROBE HOOK			DRAWER KNOB		


BIDET FAUCET

ITEM	ITEM NO.	PRICE	DESCRIPTION
	68475-PC	916.00	<ul style="list-style-type: none"> 4-hole installation with vacuum breaker Ceramic cartridge Metal pop-up drain included
	68475-BN	1284.00	
	68475-GL	1329.00	
TWO-HANDLE BIDET FAUCET			



ROMAN TUB FAUCETS


ITEM	ITEM NO.	PRICE	DESCRIPTION	
 ROMAN TUB FAUCET	TRIM ONLY		<ul style="list-style-type: none"> 3-hole installation Overall height = 11 11/16", spout outlet to deck = 6 1/2", spout reach = 9" Accommodates up to 2 1/2" deck thickness 20 gpm @ 60 psi, 76 L/min @ 414 kPa MUST ORDER ROUGH SEPARATELY 	
	T67375-PC	704.00		
	T67375-BN	985.00		
	T67375-GL	1022.00		
	Obsolete Q4 2020			
 ROMAN TUB FAUCET - LESS HANDLES	TRIM ONLY		<ul style="list-style-type: none"> 3-hole installation Overall height = 11 11/16", spout outlet to deck = 6 1/2", spout reach = 9" Accommodates up to 2 1/2" deck thickness Ceramic cartridge 20.0 gpm @ 60 psi, 76.0 L/min @ 414 kPa 18.5 gpm @ 60 psi, 70.0 L/min @ 414 kPa MUST ORDER ROUGH SEPARATELY MUST ORDER HANDLES SEPARATELY 	
	T67375-PCLHP	502.00		
	T67375-BNLHP	703.00		
	T67375-GLLHP	728.00		
	Available Q4 2020			
 ROMAN TUB FAUCET WITH HANDSHOWER	TRIM ONLY		<ul style="list-style-type: none"> 4-hole installation Overall height = 11 11/16", spout outlet to deck = 6 1/2", spout reach = 9" Accommodates up to 2 1/2" deck thickness H₂Okinetic® single-function handshower: 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa 60" - 82" stretchable, finished metal hose WaterSense® labeled handshower 18.5 gpm @ 60 psi, 70 L/min @ 414 kPa MUST ORDER ROUGH SEPARATELY 	 
	T67475-PC	952.00		
	T67475-BN	1333.00		
	T67475-GL	1381.00		
	Obsolete Q4 2020			
 ROMAN TUB FAUCET WITH HANDSHOWER - LESS HANDLES	TRIM ONLY		<ul style="list-style-type: none"> 4-hole installation Overall height = 11 11/16", spout outlet to deck = 6 1/2", spout reach = 9" Accommodates up to 2 1/2" deck thickness Ceramic cartridge H₂Okinetic® single-function handshower: 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa 60" - 82" stretchable, finished metal hose WaterSense® labeled handshower 18.5 gpm @ 60 psi, 70.0 L/min @ 414 kPa MUST ORDER ROUGH SEPARATELY MUST ORDER HANDLES SEPARATELY 	
	T67475-PCLHP	750.00		
	T67475-BNLHP	1050.00		
	T67475-GLLHP	1088.00		
	Available Q4 2020			



**ROMAN TUB
3-HOLE ROUGH**

R62707

192.00






**ROMAN TUB
4-HOLE ROUGH**


R64707


407.00

HANDLE KITS: ROMAN TUBS

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
 LEVER	HL675-PC	202.00	 CROSS	HX675-PC	232.00	<ul style="list-style-type: none"> Handles are ADA compliant Model number = one pair of handles for LHP models 
	HL675-BN	283.00		HX675-BN	325.00	
	HL675-GL	293.00		HX675-GL	337.00	
	Available Q4 2020			Available Q4 2020		

SINGLE-HANDLE FLOOR MOUNT TUB FILLER

ITEM	ITEM NO.	PRICE	DESCRIPTION
	TRIM ONLY		
	T70175-PC	1487.00	• 1-hole floor mount installation
	T70175-BN	2084.00	• Solid brass construction
	T70175-GL	2157.00	• Overall height = 40 1/2", spout outlet to floor = 35 7/16", spout reach = 8 7/8"
			<ul style="list-style-type: none"> • High flow ceramic mixing cartridge • Single lever handle with hot and cold indicators • Indexing handshower holder • Auto resetting diverter • H₂Okinetic® single-function handshower: 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa • WaterSense® labeled handshower • 60" - 82" stretchable, finished metal hose • 14.5 gpm @ 60 psi, 55 L/min @ 414 kPa with R70100 • 12 gpm @ 60 psi, 46 L/min @ 414 kPa with R70100-WS • Tub drain not included • MUST ORDER ROUGH SEPARATELY





SINGLE-HANDLE FLOOR MOUNT TUB FILLER ROUGH


R70100	388.00
R70100-WS	454.00

- For floor mount 1-hole installations
- 1/2" rough-in
- Forged brass body
- WS = with stops
- 3 3/4" max floor thickness
- Includes pre-assembled gasket, test caps & plasterguard

SINGLE-HANDLE FLOOR MOUNT TUB FILLER

TWO-HANDLE WALL MOUNT TUB FILLER

ITEM	ITEM NO.	PRICE	DESCRIPTION
	TRIM ONLY		
	T70475-PC	599.00	• 3-hole wall mount installation
	T70475-BN	838.00	• Solid brass construction
	T70475-GL	869.00	• Spout reach = 11 1/2"
	Obsolete Q4 2020		<ul style="list-style-type: none"> • High flow ceramic control valves • 9.30 gpm @ 60 psi, 35.2 L/min @ 414 kPa • Tub drain not included • MUST ORDER ROUGH SEPARATELY • RP92777 extension kit extends rough up to 1 3/4"
	TRIM ONLY		
	T70475-PCLHP	400.00	• 3-hole wall mount installation
	T70475-BNLHP	560.00	• Solid brass construction
	T70475-GLLHP	580.00	• Spout reach = 11 1/2"
	Available Q4 2020		<ul style="list-style-type: none"> • High flow ceramic control valves • 9.30 gpm @ 60 psi, 35.2 L/min @ 414 kPa • Tub drain not included • MUST ORDER ROUGH SEPARATELY • MUST ORDER HANDLES SEPARATELY • RP92777 extension kit extends rough installation up to 1 3/4"



ROUGH



R70400

194.00

TWO-HANDLE WALL MOUNT TUB FILLER










TWO-HANDLE WALL MOUNT TUB FILLER - LESS HANDLES

HANDLE KITS: TWO-HANDLE WALL MOUNT TUB FILLER




ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
	HL70475-PC	200.00		HX70475-PC	230.00	<ul style="list-style-type: none"> • Handles are ADA compliant • Model number = one pair of handles for LHP models
	HL70475-BN	280.00		HX70475-BN	322.00	
	HL70475-GL	290.00		HX70475-GL	334.00	
Available Q4 2020			Available Q4 2020			
LEVER			CROSS			











TUB/SHOWERS

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY			
	T60P420-PC	563.00	<ul style="list-style-type: none"> ▪ H₂Okinetic® Technology with self-cleaning spray holes ▪ Single-function pressure balance cartridge ▪ For use with MultiChoice® Universal rough ▪ Handle adjusts temperature ▪ Red/Blue temperature markings ▪ 5 3/8" H₂Okinetic® single-function showerhead; 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa ▪ 7" decorative, solid brass shower arm ▪ 5 1/2" pull-down diverter tub spout ▪ WaterSense® labeled showerhead ▪ ADA – valve body only ▪ Maximum flow rate guide available in the Custom Shower section ▪ RP81665 extension kit extends rough installation up to 1 3/4" 	 
	T60P420-BN	788.00		
PRESSURE BALANCE TUB/SHOWER TRIM				
	TRIM ONLY			
	T60P220-PC	460.00	<ul style="list-style-type: none"> ▪ H₂Okinetic® Technology with self-cleaning spray holes ▪ Single-function pressure balance cartridge ▪ For use with MultiChoice® Universal rough ▪ Handle adjusts temperature ▪ Red/Blue temperature markings ▪ 5 3/8" H₂Okinetic® single-function showerhead; 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa ▪ 7" decorative, solid brass shower arm ▪ Maximum flow rate guide available in the Custom Shower section ▪ RP81665 extension kit extends rough installation up to 1 3/4" 	 
	T60P220-BN	643.00		
PRESSURE BALANCE SHOWER ONLY TRIM				
	TRIM ONLY			
	T60P075-PC	311.00	<ul style="list-style-type: none"> ▪ Single-function pressure balance cartridge ▪ For use with MultiChoice® Universal rough ▪ Handle adjusts temperature ▪ Red/Blue temperature markings ▪ Maximum flow rate guide available in the Custom Shower section ▪ RP81665 extension kit extends rough installation up to 1 3/4" 	
	T60P075-BN	436.00		
	T60P075-GL	451.00		
Obsolete Q4 2020				
PRESSURE BALANCE VALVE ONLY TRIM				
	TRIM ONLY			
	T60P075-PCLHP	191.00	<ul style="list-style-type: none"> ▪ Single-function pressure balance cartridge ▪ For use with MultiChoice® Universal rough ▪ Handle adjusts temperature ▪ Red/Blue temperature markings ▪ Maximum flow rate guide available in the Custom Shower section ▪ MOST ORDER HANDLE SEPARATELY ▪ RP81665 extension kit extends rough installation up to 1 3/4" 	
	T60P075-BNLHP	268.00		
	T60P075-GLLHP	277.00		
Available Q4 2020				
PRESSURE BALANCE VALVE TRIM ONLY - LESS HANDLE				




HANDLE KITS: PRESSURE BALANCE VALVE TRIM

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
	HL60P75-PC	120.00		HX60P75-PC	150.00	<ul style="list-style-type: none"> ▪ Handles are ADA compliant ▪ Model number = one handle for LHP models
	HL60P75-BN	168.00		HX60P75-BN	210.00	
	HL60P75-GL	174.00		HX60P75-GL	218.00	
Available Q4 2020			Available Q4 2020			
LEVER			CROSS			


TUB/SHOWERS (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY T60475-PC T60475-BN T60475-GL	797.00 1117.00 1156.00	<ul style="list-style-type: none">• H₂Okinetic® Technology with self-cleaning spray holes• TempAssure® Thermostatic medium flow valving• For use with MultiChoice® Universal rough• Independent temperature and volume control• 5 3/8" H₂Okinetic® single-function showerhead; 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa• 16" decorative, solid brass shower arm• 5 1/2" pull-down diverter tub spout• WaterSense® labeled showerhead• ADA – valve body only• Maximum flow rate guide available in the Custom Shower section• RP74785 extension kit extends rough installation up to 1 3/4"	 
TEMPASSURE® THERMOSTATIC TUB/SHOWER TRIM				
	TRIM ONLY T60275-PC T60275-BN T60275-GL	617.00 864.00 897.00	<ul style="list-style-type: none">• H₂Okinetic® Technology with self-cleaning spray holes• TempAssure® Thermostatic medium flow valving• For use with MultiChoice® Universal rough• Independent temperature and volume control• 5 3/8" H₂Okinetic® single-function showerhead; 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa• 16" decorative, solid brass shower arm• Maximum flow rate guide available in the Custom Shower section• RP74785 extension kit extends rough installation up to 1 3/4"	 
TEMPASSURE® THERMOSTATIC SHOWER ONLY TRIM				
	TRIM ONLY T60075-PC T60075-BN T60075-GL	505.00 708.00 732.00	<ul style="list-style-type: none">• TempAssure® Thermostatic medium flow valving• For use with MultiChoice® Universal rough• Independent temperature and volume control• Maximum flow rate guide available in the Custom Shower section• RP74785 extension kit extends rough installation up to 1 3/4"	
TEMPASSURE® THERMOSTATIC VALVE ONLY TRIM				

TUB/SHOWER ROUGHS

ITEM	ITEM NO.	PRICE	DESCRIPTION
	R60000-UNBX	78.00	<ul style="list-style-type: none">MultiChoice® Universal valve body only. Cartridge ships with trim.1/2" universal inlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters1/2" universal outlets, inlets/outlets have male threadsBack-to-back capabilityBX = single box modelWS = with stopsExtension kit available. See chart in the Custom Shower section for more details.
	R60000-UNWS	109.00	
MULTICHOICE® UNIVERSAL TUB/SHOWER ROUGH			
	R60000-PX	78.00	<ul style="list-style-type: none">MultiChoice® Universal valve body only. Cartridge ships with trim.1/2" PEX crimp connections and 1/2" universal outlets with male threadsBack-to-back capabilityWS = with stopsExtension kit available. See chart in the Custom Shower section for more details.
	R60000-PXWS	109.00	
MULTICHOICE® UNIVERSAL TUB/SHOWER ROUGH WITH PEX			
	R60000-UNBXHF	78.00	<ul style="list-style-type: none">MultiChoice® Universal valve body only. Cartridge ships with trim.For use with valve only or shower only modelsNo tub outlet1/2" universal inlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters1/2" universal outlets, inlets/outlets have male threadsBack-to-back capabilityHF = high flowBX = single box modelWS = with stopsExtension kit available. See chart in the Custom Shower section for more details.
	R60000-UNWSHF	109.00	
MULTICHOICE® UNIVERSAL HIGH-FLOW SHOWER ROUGH			

TUB SPOUTS

ITEM	ITEM NO.	PRICE	DESCRIPTION
	RP81438PC	202.00	<ul style="list-style-type: none">▪ Pull-down diverter tub spout▪ 7 9/16" reach▪ Solid brass construction▪ Sweat or slip onto 1/2" CWT▪ Thread onto 1/2" NPT▪ RP90472 universal adapter ships with tub spout
	RP81438BN	284.00	
	RP81438GL	294.00	
DIVERTER TUB SPOUT			
	RP54874PC	131.00	<ul style="list-style-type: none">▪ Pull-down diverter tub spout▪ 5 3/16" reach▪ Slip onto 1/2" CWT▪ Optional RP90472 universal adapter allows for sweat onto 1/2" CWT and thread onto 1/2" NPT
	RP54874BN	183.00	
	RP54874GL	189.00	
DIVERTER TUB SPOUT			
	RP54873PC	131.00	<ul style="list-style-type: none">▪ Non-diverter tub spout▪ 5 3/16" reach▪ Slip onto 1/2" CWT▪ Optional RP90472 universal adapter allows for sweat onto 1/2" CWT and thread onto 1/2" NPT
	RP54873BN	183.00	
	RP54873GL	189.00	
NON-DIVERTER TUB SPOUT			



PRESSURE BALANCE AND TEMPASSURE® THERMOSTATIC CUSTOM SHOWERS

For more information about Pressure Balance and TempAssure Thermostatic Custom Showers, see page 339.



The ideal shower experience means something different to everyone. To that end, Brizo® Pressure Balance and TempAssure Thermostatic custom shower systems provide more control, so you can enjoy a completely personal experience.








VALVE TRIMS

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY			
	T60P220-PC	460.00	<ul style="list-style-type: none"> • H₂Okinetic® Technology with self-cleaning spray holes • Single-function pressure balance cartridge • For use with MultiChoice® Universal rough • Handle adjusts temperature • Red/Blue temperature markings • 5 3/8" H₂Okinetic® single-function showerhead; 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa • 7" decorative, solid brass shower arm • Maximum flow rate guide available in the Custom Shower section • RP81665 extension kit extends rough installation up to 1 3/4" 	 
	T60P220-BN	643.00		
	TRIM ONLY			
	T60P075-PC	311.00	<ul style="list-style-type: none"> • Single-function pressure balance cartridge • For use with MultiChoice® Universal rough • Handle adjusts temperature • Red/Blue temperature markings • Maximum flow rate guide available in the Custom Shower section • RP81665 extension kit extends rough installation up to 1 3/4" 	
	T60P075-BN	436.00		
	T60P075-GL	451.00		
	Obsolete Q4 2020			
	TRIM ONLY			
	T60P075-PCLHP	191.00	<ul style="list-style-type: none"> • Single-function pressure balance cartridge • For use with MultiChoice® Universal rough • Handle adjusts temperature • Red/Blue temperature markings • Maximum flow rate guide available in the Custom Shower section • MOST ORDER HANDLE SEPARATELY • RP81665 extension kit extends rough installation up to 1 3/4" 	
	T60P075-BNLHP	268.00		
	T60P075-GLLHP	277.00		
	Available Q4 2020			







HANDLE KITS: PRESSURE BALANCE VALVE TRIM

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
	HL60P75-PC	120.00		HX60P75-PC	150.00	<ul style="list-style-type: none"> • Handles are ADA compliant • Model number = one handle for LHP models
	HL60P75-BN	168.00		HX60P75-BN	210.00	
	HL60P75-GL	174.00		HX60P75-GL	218.00	
Available Q4 2020			Available Q4 2020			
LEVER			CROSS			



VALVE TRIMS (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY			
	T60275-PC	617.00	▪ H ₂ Okinetic® Technology with self-cleaning spray holes	 
	T60275-BN	864.00	▪ TempAssure® Thermostatic medium flow valving	
	T60275-GL	897.00	▪ For use with MultiChoice® Universal rough	
			▪ Independent temperature and volume control	
			▪ 5 3/8" H ₂ Okinetic® single-function showerhead; 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa	
			▪ 16" decorative, solid brass shower arm	
			▪ Maximum flow rate guide available in the Custom Shower section	
			▪ RP74785 extension kit extends rough installation up to 1 3/4"	
TEMPASSURE® THERMOSTATIC SHOWER ONLY TRIM				
	TRIM ONLY			
	T60075-PC	505.00	▪ TempAssure® Thermostatic medium flow valving	
	T60075-BN	708.00	▪ For use with MultiChoice® Universal rough	
	T60075-GL	732.00	▪ Independent temperature and volume control	
			▪ Maximum flow rate guide available in the Custom Shower section	
			▪ RP74785 extension kit extends rough installation up to 1 3/4"	
TEMPASSURE® THERMOSTATIC VALVE ONLY TRIM				

DIVERTER TRIMS

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY			
	T60875-PC	217.00	▪ Diverter has 2 individual positions and 1 shared position	
	T60875-BN	303.00	▪ For 2 individual positions, no shared positions, order RP72123	
	T60875-GL	315.00	▪ 1/2" universal inlets/outlets	
			▪ Cartridge ships with trim	
			▪ MUST ORDER ROUGH SEPARATELY	
			▪ RP75012 extension kit extends rough installation up to 1"	
Obsolete Q4 2020				
	TRIM ONLY			
	T60875-PCLHP	117.00	▪ Diverter has 2 individual positions and 1 shared position	
	T60875-BNLHP	164.00	▪ For 2 individual positions, no shared positions, order RP72123	
	T60875-GLLHP	170.00	▪ 1/2" universal inlets/outlets	
			▪ Cartridge ships with trim	
			▪ MUST ORDER ROUGH SEPARATELY	
			▪ RP75012 extension kits extends rough installation up to 1"	
Available Q4 2020				
	2-POSITION NON-SHARED DIVERTER CARTRIDGE			
	RP72123	113.00		
	TRIM ONLY			
	T60975-PC	248.00	▪ Diverter has 3 individual positions and 3 shared positions	
	T60975-BN	347.00	▪ For 3 individual positions, no shared positions, order RP72124	
	T60975-GL	360.00	▪ 1/2" universal inlets/outlets	
			▪ Cartridge ships with trim	
			▪ MUST ORDER ROUGH SEPARATELY	
			▪ RP75012 extension kit extends rough installation up to 1"	
Obsolete Q4 2020				
	TRIM ONLY			
	T60975-PCLHP	148.00	▪ Diverter has 3 individual positions and 3 shared positions	
	T60975-BNLHP	207.00	▪ For 3 individual positions, no shared positions, order RP72124	
	T60975-GLLHP	215.00	▪ 1/2" universal inlets/outlets	
			▪ Cartridge ships with trim	
			▪ MUST ORDER ROUGH SEPARATELY	
			▪ RP75012 extension kits extends rough installation up to 1"	
Available Q4 2020				
	3-POSITION NON-SHARED DIVERTER CARTRIDGE			
	RP72124	113.00		

HANDLE KITS: 3 AND 6 SETTING DIVERTER TRIMS

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
	HL975-PC	100.00		HX975-PC	130.00	<ul style="list-style-type: none">• Handles are ADA compliant• Model number = one handle for LHP models
	HL975-BN	140.00		HX975-BN	182.00	
	HL975-GL	145.00		HX975-GL	189.00	
	Available Q4 2020			Available Q4 2020		
LEVER			CROSS			

VALVE WITH INTEGRATED DIVERTER TRIMS


OR







+

+


Showerhead,
Handshower

Body Sprays



Shower
Components

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY		<ul style="list-style-type: none"> Single-function pressure balance cartridge For use with MultiChoice® Universal Integrated Shower Diverter Rough Valve handle adjusts temperature Red/Blue temperature markings Diverter has 2 individual positions and 1 shared position For 2 individual positions, no shared positions, order RP72123 1/2" universal inlets/outlets Cartridges ship with trim Maximum flow rate guide available in the Custom Shower section RP100160 extension kit extends rough installation up to 1". Must order appropriate finish to match trim. 	
	T75P575-PC	461.00		
	T75P575-BN	647.00		
	T75P575-GL	669.00		
Obsolete Q4 2020				
	TRIM ONLY		<ul style="list-style-type: none"> Single-function pressure balance cartridge For use with MultiChoice® Universal Integrated Shower Diverter Rough Valve handle adjusts temperature Red/Blue temperature markings Diverter has 2 individual positions and 1 shared position For 2 individual positions, no shared positions, order RP72123 1/2" universal inlets/outlets Cartridges ship with trim Maximum flow rate guide available in the Custom Shower section MUST ORDER HANDLES SEPARATELY RP100160 extension kit extends rough installation up to 1". Must order appropriate finish to match trim. 	
	T75P575-PCLHP	211.00		
	T75P575-BNLHP	296.00		
	T75P575-GLLHP	306.00		
Available Q4 2020				
	2-POSITION NON-SHARED DIVERTER CARTRIDGE		<ul style="list-style-type: none"> Single-function pressure balance cartridge For use with MultiChoice® Universal Integrated Shower Diverter Rough Valve handle adjusts temperature Red/Blue temperature markings Diverter has 3 individual positions and 3 shared positions For 3 individual positions, no shared positions, order RP72124 1/2" universal inlets/outlets Cartridges ship with trim Maximum flow rate guide available in the Custom Shower section RP100160 extension kit extends rough installation up to 1". Must order appropriate finish to match trim. 	
	RP72123	113.00		
	TRIM ONLY			
	T75P675-PC	461.00		
	T75P675-BN	647.00		
	T75P675-GL	669.00		
Obsolete Q4 2020				
PRESSURE BALANCE VALVE WITH INTEGRATED 3-FUNCTION DIVERTER TRIM				
PRESSURE BALANCE VALVE WITH INTEGRATED 3-FUNCTION DIVERTER TRIM - LESS HANDLES				
PRESSURE BALANCE VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM				


VALVE WITH INTEGRATED DIVERTER TRIMS (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION
 <p>PRESSURE BALANCE VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM - LESS HANDLES</p>	TRIM ONLY		<ul style="list-style-type: none"> Single-function pressure balance cartridge For use with MultiChoice® Universal Integrated Shower Diverter Rough Valve handle adjusts temperature Red/Blue temperature markings Diverter has 3 individual positions and 3 shared positions For 3 individual positions, no shared positions, order RP72124 1/2" universal inlets/outlets Cartridges ship with trim Maximum flow rate guide available in the Custom Shower section MUST ORDER HANDLES SEPARATELY RP100160 extension kit extends rough installation up to 1". Must order appropriate finish to match trim.
	T75P675-PCLHP	211.00	
	T75P675-BNLHP	296.00	
	T75P675-GLLHP	306.00	
	Available Q4 2020		
	3-POSITION NON-SHARED DIVERTER CARTRIDGE		
	RP72124	113.00	


HANDLE KITS: PRESSURE BALANCE VALVE WITH INTEGRATED DIVERTER TRIMS

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
 <p>LEVER</p>	HL75P75-PC	250.00	 <p>CROSS</p>	HX75P75-PC	280.00	<ul style="list-style-type: none"> Handles are ADA compliant Model number = one handle for LHP models
	HL75P75-BN	350.00		HX75P75-BN	392.00	
	HL75P75-GL	363.00		HX75P75-GL	406.00	
	Available Q4 2020			Available Q4 2020		

VALVE WITH INTEGRATED DIVERTER TRIMS (continued)




ITEM	ITEM NO.	PRICE	DESCRIPTION
 <p>TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 3-FUNCTION DIVERTER TRIM</p>	TRIM ONLY		<ul style="list-style-type: none"> TempAssure® Thermostatic medium flow valving For use with MultiChoice® Universal Integrated Shower Diverter Rough Independent temperature, volume and diverter control Diverter has 2 individual positions and 1 shared position For 2 individual positions, no shared positions, order RP72123 1/2" universal inlets/outlets Cartridges ship with the trim Maximum flow rate guide available in the Custom Shower section RP90545 extension kit extends rough installation up to 1". Must order appropriate finish to match trim.
	T75575-PC	624.00	
	T75575-BN	874.00	
	T75575-GL	905.00	
	2-POSITION NON-SHARED DIVERTER CARTRIDGE		
	RP72123	113.00	

TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 3-FUNCTION DIVERTER TRIM

 <p>TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM</p>	TRIM ONLY		<ul style="list-style-type: none"> TempAssure® Thermostatic medium flow valving For use with MultiChoice® Universal Integrated Shower Diverter Rough Independent temperature, volume and diverter control Diverter has 3 individual positions and 3 shared positions For 3 individual positions, no shared positions, order RP72124 1/2" universal inlets/outlets Cartridges ship with the trim Maximum flow rate guide available in the Custom Shower section RP90545 extension kit extends rough installation up to 1". Must order appropriate finish to match trim.
	T75675-PC	624.00	
	T75675-BN	874.00	
	T75675-GL	905.00	
	3-POSITION NON-SHARED DIVERTER CARTRIDGE		
	RP72124	113.00	

TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM

ROUGHHS

ITEM	ITEM NO.	PRICE	DESCRIPTION
 <p>MULTICHOICE® UNIVERSAL HIGH-FLOW SHOWER ROUGH</p>	R60000-UNBXHF	78.00	<ul style="list-style-type: none"> MultiChoice® Universal valve body only. Cartridge ships with trim. For use with valve only or shower only models No tub outlet 1/2" universal inlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters 1/2" universal outlets, inlets/outlets have male threads Back-to-back capability HF = high flow BX = single box model WS = with stops Extension kit available. See chart in the Custom Shower section for more details.
	R60000-UNWSHF	109.00	
 <p>DIVERTER ROUGH</p>	R60700	167.00	<ul style="list-style-type: none"> Three port diverter rough. Cartridge ships with trim. For use with 3- or 6-function diverter trims Extension kit available. See chart in the Custom Shower section for more details.
 <p>MULTICHOICE® UNIVERSAL INTEGRATED SHOWER AND DIVERTER ROUGH</p>	R75000	241.00	<ul style="list-style-type: none"> MultiChoice® Universal valve plus diverter body only. Valve and diverter cartridges ship with trim. No tub outlet 1/2" universal inlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters 1/2" universal outlets, inlets/outlets have male threads Back-to-back capability WS = with stops Extension kit available. See chart in the Custom Shower section for more details.
	R75000-WS	268.00	

SENSORI® HIGH-FLOW CUSTOM SHOWERS

For more information about Sensori High-Flow Custom Showers, see page 339.

Limitless is an understatement with a Sensori High-Flow Shower—allowing for independent control of both temperature and volume for all shower components. It's a completely customizable, indulgent shower experience.



Sensori®
Thermostatic Valve Trim

+



Sensori®
Thermostatic Rough

+



Sensori®
Volume Control Trim

+



Sensori®
Volume Control Rough

+

Showerhead,
Handshower

Body Sprays

Shower Components

Trim is required for each component and set of body sprays

VALVE TRIM

ITEM	ITEM NO.	PRICE	DESCRIPTION
 <p>SENSORI® THERMOSTATIC VALVE TRIM</p>	TRIM ONLY		<ul style="list-style-type: none">• Thermostatic cartridge ships with trim• High temperature limit stop - 120° F• Maximum flow rate guide available in the Custom Shower section• MUST ORDER ROUGH SEPARATELY• RP72604 extension kit extends rough installation up to 1 3/4"
	T66T075-PC	537.00	
	T66T075-BN	753.00	
	T66T075-GL	779.00	
		Obsolete Q4 2020	





VALVE TRIM (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION
	TRIM ONLY		<ul style="list-style-type: none">• Thermostatic cartridge ships with trim• High temperature limit stop - 120°F• Maximum flow rate guide available in the Custom Shower section• MUST ORDER ROUGH SEPARATELY• MUST ORDER HANDLE SEPARATELY• RP72604 extension kit extends rough installation up to 1 3/4"
	T66T075-PCLHP	437.00	
	T66T075-BNLHP	612.00	
	T66T075-GLLHP	634.00	
		Available Q4 2020	

SENSORI® THERMOSTATIC VALVE TRIM - LESS HANDLE

HANDLE KITS: SENSORI® THERMOSTATIC VALVE TRIM

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
	HL6675-PC	100.00		HX6675-PC	130.00	<ul style="list-style-type: none">• Handles are ADA compliant• Model number = one handle for LHP models
	HL6675-BN	140.00		HX6675-BN	182.00	
	HL6675-GL	145.00		HX6675-GL	189.00	
	Available Q4 2020			Available Q4 2020		
LEVER			CROSS			

VOLUME CONTROL TRIM (continued)


ITEM	ITEM NO.	PRICE	DESCRIPTION
	TRIM ONLY		<ul style="list-style-type: none">• Volume control has a recommended working pressure of 45-80 psi• Maximum flow rate guide available in the Custom Shower section• MUST ORDER ROUGH SEPARATELY• Rough accommodates 2 1/8" - 2 3/4" wall thickness depending on trim. RP100304 extends rough installation to 3 1/4".
	T66673-PC	176.00	
	T66673-BN	246.00	
	T66673-GL	255.00	
Available Q4 2020			
	TRIM ONLY		<ul style="list-style-type: none">• Volume control has a recommended working pressure of 45-80 psi• Maximum flow rate guide available in the Custom Shower section• MUST ORDER ROUGH SEPARATELY• Rough accommodates 2 1/8" - 2 3/4" wall thickness depending on trim. RP100304 extends rough installation to 3 1/4".
	T66675-PC	146.00	
	T66675-BN	204.00	
	T66675-GL	213.00	
SENSORI® VOLUME CONTROL WITH CROSS HANDLE			
SENSORI® VOLUME CONTROL WITH LEVER HANDLE			

ROUGHS


ITEM	ITEM NO.	PRICE	DESCRIPTION
	R66000-WS	368.00	<ul style="list-style-type: none">• Sensori® valve body only• 3/4" rough-in• Accepts single-function thermostatic cartridge that ships with Sensori® trim• WS = with stops• No back-to-back capability• Max flow rate 10.0 gpm, 37.9 L/min @ 414 kPa• Extension kit available. See chart in the Custom Shower section for more details.
	Obsolete Q4 2020		

SENSORI® THERMOSTATIC SHOWER ROUGH

ROUGH (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION
	R35000-WS	368.00	<ul style="list-style-type: none"> • Sensori® valve body only • 3/4" rough-in • Accepts single-function thermostatic cartridge that ships with Sensori® trim • WS = with stops • No back-to-back capability • Max flow rate 11.8 gpm @ 60 psi, 45 L/min @ 414 kPa • Extension kit available. See chart in the Custom Shower section for more details.
	Available Q4 2020		

SENSORI® THERMOSTATIC
SHOWER ROUGH



SENSORI® VOLUME CONTROL
ROUGH


R35600	160.00	<ul style="list-style-type: none"> • 3/4" rough-in • Volume controls are required for every outlet and every set of body sprays (up to max flow) • 1-piece brass construction cartridge and stem. Solid brass extension sleeve. • Provides precise handle alignment • Rough accommodates 2 1/8" - 2 3/4" wall thickness depending on trim. • RP100304 extends rough installation to 3 1/4".
--------	--------	---

BRIZO® CUSTOM SHOWER COMPONENTS


For more information about Custom Shower Components, see page 356-371.

With a large selection of available styles, our custom shower components are beautiful starting points—or finishing touches—for any shower and provide a superior, indulgent experience.

SHOWERHEADS


ITEM	ITEM NO.	PRICE	DESCRIPTION
	87375-PC	149.00	<ul style="list-style-type: none"> • H₂Okinetic® Technology with self-cleaning spray holes • Single spray setting: H₂Okinetic® Rinsing Spray • Finished spray face • 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa
	87375-BN	209.00	
	87375-GL	219.00	

5" LINEAR ROUND H2OKINETIC®
SINGLE FUNCTION WALL
MOUNT SHOWERHEAD



8" LINEAR ROUND SINGLE-
FUNCTION RAINCAN
SHOWERHEAD

2.5 GPM MODELS		
81375-PC-2.5	355.00	<ul style="list-style-type: none">▪ Touch-Clean® nozzles – swipe away mineral deposits▪ Single spray setting: Full Spray▪ Solid brass construction▪ Finished spray face▪ 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa▪ 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa▪ 1.75 gpm models WaterSense® labeled
81375-BN-2.5	497.00	
81375-GL-2.5	515.00	
1.75 GPM MODELS		
81375-PC	355.00	
81375-BN	497.00	
81375-GL	515.00	





10" LINEAR ROUND SINGLE-
FUNCTION RAINCAN
SHOWERHEAD

2.5 GPM MODELS		
81398-PC-2.5	559.00	<ul style="list-style-type: none">▪ Touch-Clean® nozzles – swipe away mineral deposits▪ Single spray setting: Full Spray▪ Solid brass construction▪ Finished spray face▪ Intended for overhead raincan orientation only
81398-BN-2.5	784.00	
81398-GL-2.5	812.00	
1.75 GPM MODELS		
81398-PC	559.00	<ul style="list-style-type: none">▪ 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa▪ 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa▪ 1.75 gpm models WaterSense® labeled
81398-BN	784.00	
81398-GL	812.00	







ODIN®


SHOWERHEADS (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION	
 12" LINEAR ROUND SINGLE-FUNCTION RAINCAN SHOWERHEAD	2.5 GPM MODELS			
	81392-PC-2.5	622.00	<ul style="list-style-type: none">• Single spray setting: Rainfall Spray• Solid brass construction• Finished spray face• Intended for overhead raincan orientation only• 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa• 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa• 1.75 gpm models WaterSense® labeled	
	81392-BN-2.5	870.00		
	81392-GL-2.5	901.00		
	1.75 GPM MODELS			
	81392-PC	622.00		
	81392-BN	870.00		
	81392-GL	901.00		
 LINEAR ROUND SINGLE-FUNCTION H2OKINETIC® PENDANT RAINCAN SHOWERHEAD	81335-PC	649.00	<ul style="list-style-type: none">• H₂Okinetic® Technology with self-cleaning spray holes• Single spray setting: H₂Okinetic® Rinsing Spray• Includes four shower arm lengths measuring 4", 6", 8" and 10"; allows height adjustability during installation• Finished spray faces• Spray heads adjust 20° in any direction• Flush mount installation• 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa	
	81335-BN	910.00		
	81335-GL	943.00		


SHOWER ARMS

ITEM	ITEM NO.	PRICE	DESCRIPTION
	RP71648PC	61.00	▪ 1/2" NPT threads
	RP71648BN	87.00	
	RP71648GL	91.00	
	16" LINEAR ROUND WALL MOUNT SHOWER ARM AND FLANGE		
	RP74751PC	51.00	▪ 1/2" NPT threads
	RP74751BN	72.00	
	RP74751GL	74.00	
	7" LINEAR ROUND WALL MOUNT SHOWER ARM AND FLANGE		
	RP81434PC	177.00	▪ 1/2" NPT threads ▪ 16" in length when fully extended ▪ Solid brass shower arm with two locking hinges for positioning
	RP81434BN	248.00	
	RP81434GL	257.00	
	LINEAR ROUND JOINTED WALL MOUNT SHOWER ARM AND FLANGE		
	RP48985PC	97.00	▪ 1/2" NPT threads
	RP48985BN	137.00	
	RP48985GL	141.00	
	6" CEILING MOUNT SHOWER ARM AND ROUND FLANGE		

SHOWER ARMS (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION
	RP48986PC	105.00	• 1/2" NPT threads
	RP48986BN	147.00	
	RP48986GL	154.00	

10" CEILING MOUNT SHOWER
ARM AND ROUND FLANGE


	RP100470PC	109.00	• 1/2" NPT threads
	RP100470BN	153.00	
	RP100470GL	159.00	

14" CEILING MOUNT SHOWER
ARM AND ROUND FLANGE


HANDSHOWERS

ITEM	ITEM NO.	PRICE	DESCRIPTION
	88775-PC	401.00	• H ₂ Okinetic® Technology with self-cleaning spray holes • Single-function handshower • 22" long slide bar with adjustable slide • 60" - 82" stretchable, finished metal hose • 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa • Wall mount elbow included
	88775-BN	561.00	
	88775-GL	582.00	

H₂OKINETIC® SLIDE BAR
HANDSHOWER

	85521-PC	360.00	• Touch-Clean® nozzles – swipe away mineral deposits • Three-function handshower: full, massage, and aerated spray • 35" long slide bar with adjustable slide • 60" - 82" stretchable, finished metal hose • 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa • Wall mount elbow included
	85521-BN	504.00	
	85521-GL	521.00	

MULTI-FUNCTION SLIDE BAR
HANDSHOWER

	88875-PC	285.00	• H ₂ Okinetic® Technology with self-cleaning spray holes • Single-function handshower • 60" - 82" stretchable, finished metal hose • Pivoting metal wall mount bracket • 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa • Wall mount elbow included
	88875-BN	399.00	
	88875-GL	411.00	

H₂OKINETIC® WALL MOUNT
HANDSHOWER





JASON WU FOR BRIZO™ BATH COLLECTION

Fashion-forward meets forward thinking.

The exclusive Jason Wu for Brizo™ Bath Collection features the aesthetic sense of a renowned fashion designer coupled with the design and innovation that could only come from the Brizo® brand—including optional SmartTouchPlus™ Technology—allowing for both hands-free and touch-sensitive operation.

AVAILABLE FINISHES:



MATTE BLACK
(BL)








NEW

HANDLE ACCENT:
WOOD (WD)






Available Q4 2020





LAVATORY FAUCETS

ITEM	ITEM NO.	PRICE	DESCRIPTION	
 WIDESPREAD LAVATORY FAUCET	1.5 GPM MODELS			
	65375LF-BL	738.00	<ul style="list-style-type: none"> Hidden water-efficient, laminar flow aerator 3-hole installation Overall height = 9", spout outlet to deck = 6 1/8", spout reach = 4 3/4" Accommodates up to 2" deck thickness Ceramic cartridge 	 
	1.2 GPM MODELS			
	65375LF-BL-ECO	721.00	<ul style="list-style-type: none"> 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa ECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa MUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available 	
	Obsolete Q4 2020			
 WIDESPREAD LAVATORY FAUCET - LESS HANDLES	1.5 GPM MODELS			
	65375LF-BLLHP	605.00	<ul style="list-style-type: none"> Hidden water-efficient, laminar flow aerator 3-hole installation Overall height = 9", spout outlet to deck = 6 1/8", spout reach = 4 3/4" Accommodates up to 3" deck thickness Ceramic cartridge 	
	1.2 GPM MODELS			
	65375LF-BLLHP-ECO	561.00	<ul style="list-style-type: none"> MUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa ECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa MUST ORDER HANDLES SEPARATELY 	
	Available Q4 2020			









HANDLE KITS: WIDESPREAD LAVATORY

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION	
 LOW LEVER	HL5373-BL	156.00	 HIGH LEVER	HL5375-BL	156.00	<ul style="list-style-type: none"> WD = Guyana Teak Wood Handles are ADA compliant Model number = one pair of handles for LHP models 	
	Available Q4 2020			Available Q4 2020			
 LOW CROSS	HX5373-BL	195.00	 HIGH CROSS	HX5375-BL	195.00		
	HX5373-BLWD	234.00		HX5375-BLWD	234.00		
	Available Q4 2020			Available Q4 2020			




LAVATORY FAUCETS (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION	
 ELECTRONIC SINGLE-HOLE LAVATORY FAUCET	1.5 GPM MODELS			
	65675LF-BL	952.00	<ul style="list-style-type: none"> SmartTouch^{Plus}™ Technology with TempID™ feature - touch or hands-free water activation with temperature indicating LED light TempIQ™ Temperature Sensing Technology (features • EPV™ Electronic Thermostatic Valve • Temperature Sensing LED Display • High Temperature Limit Stop) Pivoting handle motion 	 
	1.2 GPM MODELS			
	65675LF-BL-ECO	935.00	<ul style="list-style-type: none"> Hidden water-efficient, laminar flow aerator 1-hole installation Overall height = 9 1/8", spout outlet to deck = 6", spout reach = 4 3/4" Includes optional base that must be used with metal sinks Accommodates up to 2 1/2" deck thickness with base, 3" without base 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa ECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa MUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available. (NOTE: In order for faucet to function as intended, must use plastic tail piece included with the drain) 	


LAVATORY FAUCETS (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION	
 SINGLE-HANDLE LAVATORY FAUCET	1.5 GPM MODELS		<ul style="list-style-type: none"> Hidden water-efficient, laminar flow aerator 	 
	65175LF-BL	641.00	<ul style="list-style-type: none"> 1-hole installation Overall height = 8 11/16" with handle up, spout outlet to deck = 5 5/8, spout reach = 5 1/4" 	
	1.2 GPM MODELS		<ul style="list-style-type: none"> Accommodates up to 3" deck thickness 	
	65175LF-BL-ECO	624.00	<ul style="list-style-type: none"> Ceramic cartridge Optional red/blue temperature indicating glide ring 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa ECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa MUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available 	
 TWO-HANDLE WALL MOUNT LAVATORY FAUCET	1.5 GPM MODELS		<ul style="list-style-type: none"> Hidden water-efficient, laminar flow aerator 	 
	65875LF-BL	811.00	<ul style="list-style-type: none"> 3-hole installation Spout reach = 8 1/2"; adjustable rough (2 1/8" - 3 1/4") 	
	1.2 GPM MODELS		<ul style="list-style-type: none"> Ceramic cartridge 	
	65875LF-BL-ECO	794.00	<ul style="list-style-type: none"> Rough and trim included 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa ECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa MUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available 	
 TWO-HANDLE WALL MOUNT LAVATORY FAUCET - LESS HANDLES	TRIM ONLY			 
	1.5 GPM MODELS		<ul style="list-style-type: none"> Hidden water-efficient, laminar flow aerator 	
	T65875LF-BLLHP	354.00	<ul style="list-style-type: none"> 3-hole wall mount installation Spout reach = 8 1/2" 	
	1.2 GPM MODELS		<ul style="list-style-type: none"> Ceramic cartridge 	
	T65875LF-BLLHP-ECO	307.00	<ul style="list-style-type: none"> MUST ORDER DRAIN SEPARATELY; push button or grid strainer drains available 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa ECO models: 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa MUST ORDER ROUGH SEPARATELY MUST ORDER HANDLES SEPARATELY 	
	Available Q4 2020			
				 ROUGH R65800 211.00 <ul style="list-style-type: none"> Adjustable rough (2 1/8" - 3 1/2")

HANDLE KITS: WALL MOUNT LAVATORY FAUCETS

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
 LEVER	HL5875-BL	208.00	 CROSS	HX5875-BL	247.00	<ul style="list-style-type: none"> WD = Guyana Teak Wood Handles are ADA compliant Model number = one pair of handles for LHP models 
	Available Q4 2020			HX5875-BLWD	286.00	
				Available Q4 2020		


BIDET FAUCET

ITEM	ITEM NO.	PRICE	DESCRIPTION
	68475-BL	1160.00	<ul style="list-style-type: none"> 4-hole installation with vacuum breaker Ceramic cartridge Metal pop-up drain included




TWO-HANDLE BIDET FAUCET


ROMAN TUB FAUCETS

ITEM	ITEM NO.	PRICE	DESCRIPTION
	TRIM ONLY T67375-BL Obsolete Q4 2020	891.00	<ul style="list-style-type: none"> 3-hole installation Overall height = 11 11/16", spout outlet to deck = 6 1/2", spout reach = 9" Accommodates up to 2 1/2" deck thickness 20 gpm @ 60 psi, 76 L/min @ 414 kPa MUST ORDER ROUGH SEPARATELY


ROMAN TUB FAUCET

	TRIM ONLY T67375-BLLHP Available Q4 2020	653.00	<ul style="list-style-type: none"> 3-hole installation Overall height = 11 11/16", spout outlet to deck = 6 1/2", spout reach = 9" Accommodates up to 2 1/2" deck thickness Ceramic cartridge 20.0 gpm @ 60 psi, 76.0 L/min @ 414 kPa MUST ORDER ROUGH SEPARATELY MUST ORDER HANDLES SEPARATELY
--	--	--------	--


ROMAN TUB FAUCET - LESS HANDLES

	TRIM ONLY T67475-BL Obsolete Q4 2020	1206.00	<ul style="list-style-type: none"> 4-hole installation Overall height = 11 11/16", spout outlet to deck = 6 1/2", spout reach = 9" Accommodates up to 2 1/2" deck thickness H₂Okinetic® single-function handshower: 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa 60" - 82" stretchable, finished metal hose WaterSense® labeled handshower 18.5 gpm @ 60 psi, 70 L/min @ 414 kPa MUST ORDER ROUGH SEPARATELY
---	--	---------	---

ROMAN TUB FAUCET WITH HANDSHOWER

	TRIM ONLY T67475-BLLHP Available Q4 2020	975.00	<ul style="list-style-type: none"> 4-hole installation Overall height = 11 11/16", spout outlet to deck = 6 1/2", spout reach = 9" Accommodates up to 2 1/2" deck thickness Ceramic cartridge H₂Okinetic® single-function handshower: 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa 60" - 82" stretchable, finished metal hose WaterSense® labeled handshower 18.5 gpm @ 60 psi, 70.0 L/min @ 414 kPa MUST ORDER ROUGH SEPARATELY MUST ORDER HANDLES SEPARATELY
---	--	--------	---


ROMAN TUB FAUCET WITH HANDSHOWER - LESS HANDLES



ROMAN TUB 3-HOLE ROUGH

R62707

192.00





ROMAN TUB 4-HOLE ROUGH

R64707

407.00

HANDLE KITS: ROMAN TUBS

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
	HL675-BL Available Q4 2020	263.00		HX675-BL Available Q4 2020	302.00	<ul style="list-style-type: none"> Handles are ADA compliant Model number = one pair of handles for LHP models


LEVER

CROSS



SINGLE-HANDLE FLOOR MOUNT TUB FILLER

ITEM	ITEM NO.	PRICE	DESCRIPTION
	TRIM ONLY		
	T70175-BL	1941.00	<ul style="list-style-type: none"> 1-hole floor mount installation Solid brass construction Overall height = 40 1/2", spout outlet to floor = 35 7/16", spout reach = 8 7/8" High flow ceramic mixing cartridge Single lever handle with hot and cold indicators Indexing handshower holder Auto resetting diverter H₂Okinetic® single-function handshower: 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa WaterSense® labeled handshower 60" - 82" stretchable, finished metal hose 14.5 gpm @ 60 psi, 55 L/min @ 414 kPa with R70100 12 gpm @ 60 psi, 46 L/min @ 414 kPa with R70100-WS Tub drain not included MUST ORDER ROUGH SEPARATELY




SINGLE-HANDLE FLOOR MOUNT TUB FILLER ROUGH


R70100	388.00
R70100-WS	454.00

- For floor mount 1-hole installations
- 1/2" rough-in
- Forged brass body
- WS = with stops
- 3 3/4" max floor thickness
- Includes pre-assembled gasket, test caps & plasterguard

SINGLE-HANDLE FLOOR MOUNT TUB FILLER

TWO-HANDLE WALL MOUNT TUB FILLER


ITEM	ITEM NO.	PRICE	DESCRIPTION
	TRIM ONLY		
	T70475-BL	779.00	<ul style="list-style-type: none"> 3-hole wall mount installation Solid brass construction Spout reach = 11 1/2" High flow ceramic control valves 9.30 gpm @ 60 psi, 35.2 L/min @ 414 kPa Tub drain not included MUST ORDER ROUGH SEPARATELY RP92777 extension kit extends rough up to 1 3/4"



ROUGH



R70400	194.00
--------	--------

TWO-HANDLE WALL MOUNT TUB FILLER

	TRIM ONLY		
	T70475-BLLHP	520.00	<ul style="list-style-type: none"> 3-hole wall mount installation Solid brass construction Spout reach = 11 1/2" High flow ceramic control valves 9.30 gpm @ 60 psi, 35.2 L/min @ 414 kPa Tub drain not included MUST ORDER ROUGH SEPARATELY MUST ORDER HANDLES SEPARATELY RP92777 extension kit extends rough installation up to 1 3/4"




TWO-HANDLE WALL MOUNT TUB FILLER - LESS HANDLES

HANDLE KITS: TWO-HANDLE WALL MOUNT TUB FILLER



ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
	HL70475-BL	260.00		HX70475-BL	299.00	<ul style="list-style-type: none"> Handles are ADA compliant Model number = one pair of handles for LHP models
	Available Q4 2020			Available Q4 2020		
LEVER			CROSS			











TUB/SHOWERS

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY T60P075-BL Obsolete Q4 2020	405.00	<ul style="list-style-type: none"> Single-function pressure balance cartridge For use with MultiChoice® Universal rough Handle adjusts temperature Red/Blue temperature markings Maximum flow rate guide available in the Custom Shower section RP81665 extension kit extends rough installation up to 1 3/4" 	
PRESSURE BALANCE VALVE ONLY TRIM				
	TRIM ONLY T60P075-BLLHP Available Q4 2020	249.00	<ul style="list-style-type: none"> Single-function pressure balance cartridge For use with MultiChoice® Universal rough Handle adjusts temperature Red/Blue temperature markings Maximum flow rate guide available in the Custom Shower section MOST ORDER HANDLE SEPARATELY RP81665 extension kit extends rough installation up to 1 3/4" 	
PRESSURE BALANCE VALVE TRIM ONLY - LESS HANDLE				

HANDLE KITS: PRESSURE BALANCE VALVE TRIM

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION	
	HL60P75-BL Available Q4 2020	156.00		HX60P75-BL Available Q4 2020	195.00	<ul style="list-style-type: none"> Handles are ADA compliant Model number = one handle for LHP models 	
LEVER			CROSS				

TUB/SHOWERS (continued)





ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY T60475-BL	1008.00	<ul style="list-style-type: none"> H₂Okinetic® Technology with self-cleaning spray holes TempAssure® Thermostatic medium flow valving For use with MultiChoice® Universal rough Independent temperature and volume control 5 3/8" H₂Okinetic® single-function showerhead; 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa 16" decorative, solid brass shower arm 5 1/2" pull-down diverter tub spout WaterSense® labeled showerhead Maximum flow rate guide available in the Custom Shower section RP74785 extension kit extends rough installation up to 1 3/4" 	 
TEMPASSURE® THERMOSTATIC TUB/SHOWER TRIM				
	TRIM ONLY T60275-BL	782.00	<ul style="list-style-type: none"> H₂Okinetic® Technology with self-cleaning spray holes TempAssure® Thermostatic medium flow valving For use with MultiChoice® Universal rough Independent temperature and volume control 5 3/8" H₂Okinetic® single-function showerhead; 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa 16" decorative, solid brass shower arm Maximum flow rate guide available in the Custom Shower section RP74785 extension kit extends rough installation up to 1 3/4" 	 
TEMPASSURE® THERMOSTATIC SHOWER ONLY TRIM				
	TRIM ONLY T60075-BL	639.00	<ul style="list-style-type: none"> TempAssure® Thermostatic medium flow valving For use with MultiChoice® Universal rough Independent temperature and volume control Maximum flow rate guide available in the Custom Shower section RP74785 extension kit extends rough installation up to 1 3/4" 	
TEMPASSURE® THERMOSTATIC VALVE ONLY TRIM				

Valve rating is 1.2 GPM minimum (4.5 L/min) at 45 psi (310 kPa) for Pressure Balance, TempAssure® Thermostatic and Sensori® Thermostatic trims. Stated flow rate for showerheads @ 80 psi maximum water usage. ASME A112.1016/ASSE 1016/CSA B125.16.

TUB/SHOWER ROUGHS

ITEM	ITEM NO.	PRICE	DESCRIPTION
	R60000-UNBX	78.00	<ul style="list-style-type: none">MultiChoice® Universal valve body only. Cartridge ships with trim.1/2" universal inlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters1/2" universal outlets, inlets/outlets have male threadsBack-to-back capabilityBX = single box modelWS = with stopsExtension kit available. See chart in the Custom Shower section for more details.
	R60000-UNWS	109.00	
MULTICHOICE® UNIVERSAL TUB/SHOWER ROUGH			
	R60000-PX	78.00	<ul style="list-style-type: none">MultiChoice® Universal valve body only. Cartridge ships with trim.1/2" PEX crimp connections and 1/2" universal outlets with male threadsBack-to-back capabilityWS = with stopsExtension kit available. See chart in the Custom Shower section for more details.
	R60000-PXWS	109.00	
MULTICHOICE® UNIVERSAL TUB/SHOWER ROUGH WITH PEX			
	R60000-UNBXHF	78.00	<ul style="list-style-type: none">MultiChoice® Universal valve body only. Cartridge ships with trim.For use with valve only or shower only modelsNo tub outlet1/2" universal inlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters1/2" universal outlets, inlets/outlets have male threadsBack-to-back capabilityHF = high flowBX = single box modelWS = with stopsExtension kit available. See chart in the Custom Shower section for more details.
	R60000-UNWSHF	109.00	
MULTICHOICE® UNIVERSAL HIGH-FLOW SHOWER ROUGH			


TUB SPOUTS

ITEM	ITEM NO.	PRICE	DESCRIPTION
	RP81438BL	265.00	<ul style="list-style-type: none">▪ Pull-down diverter tub spout▪ 7 9/16" reach▪ Solid brass construction▪ Sweat or slip onto 1/2" CWT▪ Thread onto 1/2" NPT▪ RP90472 universal adapter ships with tub spout
LINEAR ROUND DIVERTER TUB SPOUT			
	RP54874BL	171.00	<ul style="list-style-type: none">▪ Pull-down diverter tub spout▪ 5 3/16" reach▪ Slip onto 1/2" CWT▪ Optional RP90472 universal adapter allows for sweat onto 1/2" CWT and thread onto 1/2" NPT
DIVERTER TUB SPOUT			
	RP81435BL	246.00	<ul style="list-style-type: none">▪ Non-diverter tub spout▪ 7 9/16" reach▪ Solid brass construction▪ Sweat or slip onto 1/2" CWT▪ Thread onto 1/2" NPT▪ RP90472 universal adapter ships with tub spout▪ Can be installed with shower diverter systems
LINEAR ROUND NON-DIVERTER TUB SPOUT			
	RP54873BL	171.00	<ul style="list-style-type: none">▪ Non-diverter tub spout▪ 5 3/16" reach▪ Slip onto 1/2" CWT▪ Optional RP90472 universal adapter allows for sweat onto 1/2" CWT and thread onto 1/2" NPT
NON-DIVERTER TUB SPOUT			


PRESSURE BALANCE AND TEMPASSURE® THERMOSTATIC CUSTOM SHOWERS

For more information about Pressure Balance and TempAssure Thermostatic Custom Showers, see page 339.




The ideal shower experience means something different to everyone. To that end, Brizo® Pressure Balance and TempAssure Thermostatic custom shower systems provide more control, so you can enjoy a completely personal experience.






VALVE TRIMS

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY T60P075-BL	405.00	<ul style="list-style-type: none"> Single-function pressure balance cartridge For use with MultiChoice® Universal rough Handle adjusts temperature Red/Blue temperature markings Maximum flow rate guide available in the Custom Shower section RP81665 extension kit extends rough installation up to 1 3/4" 	
PRESSURE BALANCE VALVE ONLY TRIM				
	TRIM ONLY T60P075-BLLHP	249.00	<ul style="list-style-type: none"> Single-function pressure balance cartridge For use with MultiChoice® Universal rough Handle adjusts temperature Red/Blue temperature markings Maximum flow rate guide available in the Custom Shower section MOST ORDER HANDLE SEPARATELY RP81665 extension kit extends rough installation up to 1 3/4" 	
PRESSURE BALANCE VALVE TRIM ONLY - LESS HANDLE	Available Q4 2020			

HANDLE KITS: PRESSURE BALANCE VALVE TRIMS



ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION	
	HL60P75-BL	156.00		HX60P75-BL	195.00	<ul style="list-style-type: none"> Handles are ADA compliant Model number = one handle for LHP models 	
LEVER	Available Q4 2020		CROSS	Available Q4 2020			

VALVE TRIMS (continued)







ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY T60275-BL	782.00	<ul style="list-style-type: none"> H₂Okinetic® Technology with self-cleaning spray holes TempAssure® Thermostatic medium flow valving For use with MultiChoice® Universal rough Independent temperature and volume control 5 3/8" H₂Okinetic® single-function showerhead; 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa 16" decorative, solid brass shower arm Maximum flow rate guide available in the Custom Shower section RP74785 extension kit extends rough installation up to 1 3/4" 	 
TEMPASSURE® THERMOSTATIC SHOWER ONLY TRIM				

Valve rating is 1.2 GPM minimum (4.5 L/min) at 45 psi (310 kPa) for Pressure Balance, TempAssure® Thermostatic and Sensori® Thermostatic trims. Stated flow rate for showerheads @ 80 psi maximum water usage. ASME A112.1016/ASSE 1016/CSA B125.16.



VALVE TRIMS (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY T60075-BL	639.00	<ul style="list-style-type: none"> TempAssure® Thermostatic medium flow valving For use with MultiChoice® Universal rough Independent temperature and volume control Maximum flow rate guide available in the Custom Shower section RP74785 extension kit extends rough installation up to 1 3/4" 	
TEMPASSURE® THERMOSTATIC VALVE ONLY TRIM				

DIVERTER TRIMS

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY T60875-BL	276.00	<ul style="list-style-type: none"> Diverter has 2 individual positions and 1 shared position For 2 individual positions, no shared positions, order RP72123 1/2" universal inlets/outlets Cartridge ships with trim MUST ORDER ROUGH SEPARATELY RP75012 extension kit extends rough installation up to 1" 	
Obsolete Q4 2020				
3-FUNCTION DIVERTER TRIM				
	TRIM ONLY T60875-BLLHP	152.00	<ul style="list-style-type: none"> Diverter has 2 individual positions and 1 shared position For 2 individual positions, no shared positions, order RP72123 1/2" universal inlets/outlets Cartridge ships with trim MUST ORDER ROUGH SEPARATELY RP75012 extension kits extends rough installation up to 1" 	
Available Q4 2020				
2-POSITION NON-SHARED DIVERTER CARTRIDGE				
	RP72123	113.00		
3-FUNCTION DIVERTER TRIM - LESS HANDLE				
	TRIM ONLY T60975-BL	313.00	<ul style="list-style-type: none"> Diverter has 3 individual positions and 3 shared positions For 3 individual positions, no shared positions, order RP72124 1/2" universal inlets/outlets Cartridge ships with trim MUST ORDER ROUGH SEPARATELY RP75012 extension kit extends rough installation up to 1" 	
Obsolete Q4 2020				
6-FUNCTION DIVERTER TRIM				
	TRIM ONLY T60975-BLLHP	192.00	<ul style="list-style-type: none"> Diverter has 3 individual positions and 3 shared positions For 3 individual positions, no shared positions, order RP72124 1/2" universal inlets/outlets Cartridge ships with trim MUST ORDER ROUGH SEPARATELY RP75012 extension kits extends rough installation up to 1" 	
Available Q4 2020				
3-POSITION NON-SHARED DIVERTER CARTRIDGE				
	RP72124	113.00		
6-FUNCTION DIVERTER TRIM - LESS HANDLE				

HANDLE KITS: 3 AND 6 FUNCTION DIVERTER TRIMS

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
	HL975-BL	130.00		HX975-BL	169.00	<ul style="list-style-type: none">▪ Handles are ADA compliant▪ Model number = one handle for LHP models
Available Q4 2020			Available Q4 2020			
LEVER			CROSS			

VALVE WITH INTEGRATED DIVERTER TRIMS



OR



+



+

Showerhead,
Handshower

Body Sprays

Shower
Components

Pressure Balance
Valve with Integrated
Diverter Trim

TempAssure® Thermostatic
Valve with Integrated
Diverter Trim


MultiChoice® Universal
Integrated Shower Diverter Rough

ITEM

ITEM NO.

PRICE

DESCRIPTION



PRESSURE BALANCE VALVE
WITH INTEGRATED 3-FUNCTION
DIVERTER TRIM


TRIM ONLY

T75P575-BL

582.00

Obsolete Q4 2020

- Single-function pressure balance cartridge
- For use with MultiChoice® Universal Integrated Shower Diverter Rough
- Valve handle adjusts temperature
- Red/Blue temperature markings
- Diverter has 2 individual positions and 1 shared position
- For 2 individual positions, no shared positions, order RP72123
- 1/2" universal inlets/outlets
- Cartridges ship with trim
- Maximum flow rate guide available in the Custom Shower section
- RP100160 extension kit extends rough installation up to 1". Must order appropriate finish to match trim.



PRESSURE BALANCE VALVE
WITH INTEGRATED 3-FUNCTION
DIVERTER TRIM - LESS
HANDLES

TRIM ONLY

T75P575-BLLHP

275.00


Available Q4 2020

**2-POSITION NON-SHARED
DIVERTER CARTRIDGE**

RP72123

113.00

- Single-function pressure balance cartridge
- For use with MultiChoice® Universal Integrated Shower Diverter Rough
- Valve handle adjusts temperature
- Red/Blue temperature markings
- Diverter has 2 individual positions and 1 shared position
- For 2 individual positions, no shared positions, order RP72123
- 1/2" universal inlets/outlets
- Cartridges ship with trim
- Maximum flow rate guide available in the Custom Shower section
- **MUST ORDER HANDLES SEPARATELY**
- RP100160 extension kit extends rough installation up to 1". Must order appropriate finish to match trim.



PRESSURE BALANCE VALVE
WITH INTEGRATED 6-FUNCTION
DIVERTER TRIM


TRIM ONLY

T75P675-BL

582.00

Obsolete Q4 2020

- Single-function pressure balance cartridge
- For use with MultiChoice® Universal Integrated Shower Diverter Rough
- Valve handle adjusts temperature
- Red/Blue temperature markings
- Diverter has 3 individual positions and 3 shared positions
- For 3 individual positions, no shared positions, order RP72124
- 1/2" universal inlets/outlets
- Cartridges ship with trim
- Maximum flow rate guide available in the Custom Shower section
- RP100160 extension kit extends rough installation up to 1". Must order appropriate finish to match trim.



PRESSURE BALANCE VALVE
WITH INTEGRATED 6-FUNCTION
DIVERTER TRIM - LESS
HANDLES

TRIM ONLY

T75P675-BLLHP

275.00

Available Q4 2020

**3-POSITION NON-SHARED
DIVERTER CARTRIDGE**

RP72124

113.00

- Single-function pressure balance cartridge
- For use with MultiChoice® Universal Integrated Shower Diverter Rough
- Valve handle adjusts temperature
- Red/Blue temperature markings
- Diverter has 3 individual positions and 3 shared positions
- For 3 individual positions, no shared positions, order RP72124
- 1/2" universal inlets/outlets
- Cartridges ship with trim
- Maximum flow rate guide available in the Custom Shower section
- **MUST ORDER HANDLES SEPARATELY**
- RP100160 extension kit extends rough installation up to 1". Must order appropriate finish to match trim.

HANDLE KITS: PRESSURE BALANCE VALVE WITH INTEGRATED DIVERTER TRIMS

ITEM

ITEM NO.


PRICE

ITEM

ITEM NO.

PRICE

DESCRIPTION



LEVER

HL75P75-BL

325.00

Available Q4 2020



CROSS

HX75P75-BL

364.00

Available Q4 2020



- Handles are ADA compliant
- Model number = one handle for LHP models



Valve rating is 1.2 GPM minimum (4.5 L/min) at 45 psi (310 kPa) for Pressure Balance, TempAssure® Thermostatic and Sensori® Thermostatic trims. Stated flow rate for showerheads @ 80 psi maximum water usage. ASME A112.1016/ASSE 1016/CSA B125.16.

JASON WU FOR BRIZO™




VALVE WITH INTEGRATED DIVERTER TRIMS (continued)

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY T75575-BL	788.00	<ul style="list-style-type: none"> TempAssure® Thermostatic medium flow valving For use with MultiChoice® Universal Integrated Shower Diverter Rough Independent temperature, volume and diverter control Diverter has 2 individual positions and 1 shared position For 2 individual positions, no shared positions, order RP72123 1/2" universal inlets/outlets Cartridges ship with the trim Maximum flow rate guide available in the Custom Shower section RP90545 extension kit extends rough installation up to 1". Must order appropriate finish to match trim. 	
	2-POSITION NON-SHARED DIVERTER CARTRIDGE RP72123	113.00		
	TRIM ONLY T75675-BL	788.00	<ul style="list-style-type: none"> TempAssure® Thermostatic medium flow valving For use with MultiChoice® Universal Integrated Shower Diverter Rough Independent temperature, volume and diverter control Diverter has 3 individual positions and 3 shared positions For 3 individual positions, no shared positions, order RP72124 1/2" universal inlets/outlets Cartridges ship with the trim Maximum flow rate guide available in the Custom Shower section RP90545 extension kit extends rough installation up to 1". Must order appropriate finish to match trim. 	
	3-POSITION NON-SHARED DIVERTER CARTRIDGE RP72124	113.00		

TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 3-FUNCTION DIVERTER TRIM

TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM

ROUGHS

ITEM	ITEM NO.	PRICE	DESCRIPTION
	R60000-UNBXHF	78.00	<ul style="list-style-type: none"> MultiChoice® Universal valve body only. Cartridge ships with trim. For use with valve only or shower only models No tub outlet 1/2" universal inlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters 1/2" universal outlets, inlets/outlets have male threads Back-to-back capability HF = high flow BX = single box model WS = with stops Extension kit available. See chart in the Custom Shower section for more details.
	R60000-UNWSHF	109.00	
	R60700	167.00	<ul style="list-style-type: none"> Three port diverter rough. Cartridge ships with trim. For use with 3- or 6-function diverter trims Extension kit available. See chart in the Custom Shower section for more details.
	R75000	241.00	<ul style="list-style-type: none"> MultiChoice® Universal valve plus diverter body only. Valve and diverter cartridges ship with trim. No tub outlet 1/2" universal inlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters 1/2" universal outlets, inlets/outlets have male threads Back-to-back capability WS = with stops Extension kit available. See chart in the Custom Shower section for more details.
	R75000-WS	268.00	

MULTICHOICE® UNIVERSAL HIGH-FLOW SHOWER ROUGH


DIVERTER ROUGH

MULTICHOICE® UNIVERSAL INTEGRATED SHOWER AND DIVERTER ROUGH




SENSORI® HIGH-FLOW CUSTOM SHOWERS

For more information about Sensori High-Flow Custom Showers, see page 339.




Limitless is an understatement with a Sensori High-Flow Shower—allowing for independent control of both temperature and volume for all shower components. It's a completely customizable, indulgent shower experience.






VALVE TRIM

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	TRIM ONLY T66T075-BL Obsolete Q4 2020	681.00	<ul style="list-style-type: none">Thermostatic cartridge ships with trimHigh temperature limit stop - 120° FMaximum flow rate guide available in the Custom Shower sectionMUST ORDER ROUGH SEPARATELYRP72604 extension kit extends rough installation up to 1 3/4"	
SENSORI® THERMOSTATIC VALVE TRIM				
	TRIM ONLY T66T075-BLLHP Available Q4 2020	568.00	<ul style="list-style-type: none">Thermostatic cartridge ships with trimHigh temperature limit stop - 120°FMaximum flow rate guide available in the Custom Shower sectionMUST ORDER ROUGH SEPARATELYMUST ORDER HANDLE SEPARATELYRP72604 extension kit extends rough installation up to 1 3/4"	
SENSORI® THERMOSTATIC VALVE TRIM - LESS HANDLE				




HANDLE KITS: SENSORI® THERMOSTATIC VALVE TRIM

ITEM	ITEM NO.	PRICE	ITEM	ITEM NO.	PRICE	DESCRIPTION
	HL6675-BL Available Q4 2020	130.00		HX6675-BL Available Q4 2020	169.00	<ul style="list-style-type: none">Handles are ADA compliantModel number = one handle for LHP models
LEVER			CROSS			

VOLUME CONTROL TRIM

ITEM	ITEM NO.	PRICE	DESCRIPTION	
 <p>SENSORI® VOLUME CONTROL WITH LEVER HANDLE</p>	<p>TRIM ONLY T66675-BL</p>	185.00	<ul style="list-style-type: none"> Volume control has a recommended working pressure of 45-80 psi Maximum flow rate guide available in the Custom Shower section MUST ORDER ROUGH SEPARATELY Rough accommodates 2 1/8" - 2 3/4" wall thickness depending on trim. RP100304 extends rough installation to 3 1/4". 	
 <p>SENSORI® VOLUME CONTROL WITH CROSS HANDLE</p>	<p>TRIM ONLY T66673-BL</p> <p>Available Q4 2020</p>	229.00	<ul style="list-style-type: none"> Volume control has a recommended working pressure of 45-80 psi Maximum flow rate guide available in the Custom Shower section MUST ORDER ROUGH SEPARATELY Rough accommodates 2 1/8" - 2 3/4" wall thickness depending on trim. RP100304 extends rough installation to 3 1/4". 	

ROUGHS













ITEM	ITEM NO.	PRICE	DESCRIPTION
 <p>SENSORI® THERMOSTATIC SHOWER ROUGH</p>	<p>R66000-WS</p> <p>Obsolete Q4 2020</p>	368.00	<ul style="list-style-type: none"> Sensori® valve body only 3/4" rough-in Accepts single-function thermostatic cartridge that ships with Sensori® trim WS = with stops No back-to-back capability Max flow rate 10.0 gpm, 37.9 L/min @ 414 kPa Extension kit available. See chart in the Custom Shower section for more details.
 <p>SENSORI® THERMOSTATIC SHOWER ROUGH</p>	<p>R35000-WS</p> <p>Available Q4 2020</p>	368.00	<ul style="list-style-type: none"> Sensori® valve body only 3/4" rough-in Accepts single-function thermostatic cartridge that ships with Sensori® trim WS = with stops No back-to-back capability Max flow rate 11.8 gpm @ 60 psi, 45 L/min @ 414 kPa Extension kit available. See chart in the Custom Shower section for more details.
 <p>SENSORI® VOLUME CONTROL ROUGH</p>	R35600	160.00	<ul style="list-style-type: none"> 3/4" rough-in Volume controls are required for every outlet and every set of body sprays (up to max flow) 1-piece brass construction cartridge and stem. Solid brass extension sleeve. Provides precise handle alignment Rough accommodates 2 1/8" - 2 3/4" wall thickness depending on trim. RP100304 extends rough installation to 3 1/4".

BRIZO® CUSTOM SHOWER COMPONENTS







For more information about Custom Shower Components, see page 356-371.

With a large selection of available styles, our custom shower components are beautiful starting points—or finishing touches—for any shower and provide a superior, indulgent experience.







SHOWERHEADS

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	87375-BL	194.00	<ul style="list-style-type: none"> • H₂Okinetic® Technology with self-cleaning spray holes • Single spray setting: H₂Okinetic® Rinsing Spray • Finished spray face • 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa 	
5" LINEAR ROUND H2OKINETIC® SINGLE FUNCTION WALL MOUNT SHOWERHEAD				
	87442-BL	282.00	<ul style="list-style-type: none"> • H₂Okinetic® Technology with self-cleaning spray holes • Finished spray face • Dial changes spray settings • 4 spray settings: H₂Okinetic® Rinsing Spray, Full Spray, Massage Spray and Pause • 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa 	
8" H2OKINETIC® ROUND MULTI-FUNCTION SHOWERHEAD				
	2.5 GPM MODELS 81375-BL-2.5	462.00	<ul style="list-style-type: none"> • Touch-Clean® nozzles – swipe away mineral deposits • Single spray setting: Full Spray 	
8" LINEAR ROUND SINGLE-FUNCTION RAINCAN SHOWERHEAD	1.75 GPM MODELS 81375-BL	462.00	<ul style="list-style-type: none"> • Solid brass construction • Finished spray face • 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa • 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa • 1.75 gpm models WaterSense® labeled 	
	2.5 GPM MODELS 81398-BL-2.5	730.00	<ul style="list-style-type: none"> • Touch-Clean® nozzles – swipe away mineral deposits • Single spray setting: Full Spray 	
10" LINEAR ROUND SINGLE-FUNCTION RAINCAN SHOWERHEAD	1.75 GPM MODELS 81398-BL	730.00	<ul style="list-style-type: none"> • Solid brass construction • Finished spray face • Intended for overhead raincan orientation only • 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa • 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa • 1.75 gpm models WaterSense® labeled 	
	2.5 GPM MODELS 81392-BL-2.5	808.00	<ul style="list-style-type: none"> • Touch-Clean® nozzles – swipe away mineral deposits • Single spray setting: Rainfall Spray 	
12" LINEAR ROUND SINGLE-FUNCTION RAINCAN SHOWERHEAD	1.75 GPM MODELS 81392-BL	808.00	<ul style="list-style-type: none"> • Solid brass construction • Finished spray face • Intended for overhead raincan orientation only • 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa • 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa • 1.75 gpm models WaterSense® labeled 	
	81335-BL	847.00	<ul style="list-style-type: none"> • H₂Okinetic® Technology with self-cleaning spray holes • Single spray setting: H₂Okinetic® Rinsing Spray • Includes four shower arm lengths measuring 4", 6", 8" and 10"; allows height adjustability during installation • Finished spray faces • Spray heads adjust 20° in any direction • Flush mount installation • 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa 	
LINEAR ROUND SINGLE-FUNCTION H2OKINETIC® PENDANT RAINCAN SHOWERHEAD				

SHOWER ARMS

ITEM	ITEM NO.	PRICE	DESCRIPTION
 <p>16" LINEAR ROUND WALL MOUNT SHOWER ARM AND FLANGE</p>	RP71648BL	80.00	<ul style="list-style-type: none"> ▪ 1/2" NPT threads
 <p>7" LINEAR ROUND WALL MOUNT SHOWER ARM AND FLANGE</p>	RP74751BL	68.00	<ul style="list-style-type: none"> ▪ 1/2" NPT threads
 <p>LINEAR ROUND JOINTED WALL MOUNT SHOWER ARM AND FLANGE</p>	RP81434BL	231.00	<ul style="list-style-type: none"> ▪ 1/2" NPT threads ▪ 16" in length when fully extended ▪ Solid brass shower arm with two locking hinges for positioning
 <p>6" CEILING MOUNT SHOWER ARM AND ROUND FLANGE</p>	RP48985BL	126.00	<ul style="list-style-type: none"> ▪ 1/2" NPT threads
 <p>10" CEILING MOUNT SHOWER ARM AND ROUND FLANGE</p>	RP48986BL	139.00	<ul style="list-style-type: none"> ▪ 1/2" NPT threads
 <p>14" CEILING MOUNT SHOWER ARM AND ROUND FLANGE</p>	RP100470BL	143.00	<ul style="list-style-type: none"> ▪ 1/2" NPT threads

HANDSHOWERS

ITEM	ITEM NO.	PRICE	DESCRIPTION	
	88775-BL	509.00	<ul style="list-style-type: none">• H₂Okinetic® Technology with self-cleaning spray holes• Single-function handshower• 22" long slide bar with adjustable slide• 60" - 82" stretchable, finished metal hose• 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa• Wall mount elbow included	
H₂OKINETIC® SLIDE BAR HANDSHOWER				
	85521-BL	469.00	<ul style="list-style-type: none">• Touch-Clean® nozzles – swipe away mineral deposits• Three-function handshower: full, massage, and aerated spray• 35" long slide bar with adjustable slide• 60" - 82" stretchable, finished metal hose• 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa• Wall mount elbow included	
MULTI-FUNCTION SLIDE BAR HANDSHOWER				
	88875-BL	360.00	<ul style="list-style-type: none">• H₂Okinetic® Technology with self-cleaning spray holes• Single-function handshower• 60" - 82" stretchable, finished metal hose• Pivoting metal wall mount bracket• 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa• Wall mount elbow included	
H₂OKINETIC® WALL MOUNT HANDSHOWER				